For office use: GP)SA/WL/WQC 718A

Expedited Shoreland Alteration Permit

| \$ // | 30,00 | | reimitino. | | | - | Application |
|---|---|---|--|---|--|--------------------------------|----------------------------------|
| | Fee Received | | Permit f | or Alteration of a P-WL | 1 Subdistric | | |
| | | | | addresses of all persons or erest" are those listed on ar | | | |
| | ant Name(s) e Buscemi, Ro | ochelle Schaevitz | z & Warren Golds | Daytime Phone (973)3 tein | 379-2933 | FAX or Email (| if applicable) emi@comcast.ne |
| | g Address /indermere Te | rrace | | Town Short Hills | | State NJ | Zip Code 07078 |
| 2. F | ROJECT LOCA | TION AND PROPER | RTY DETAILS | (See Instructions) | | | |
| | ship, Town or Planta Ingely Plantati | | | County Franklin | | | |
| Tax In Map: | formation (check you 0X001 | <i>r tax bill)</i> Plan: 16 | Lot: 47 & 48 | Deed or Lease Information Book: 1645,1646 | | | e #: |
| | te (in acres, or in square 00+ x 1,000 ft | feet if less than 1 acre) | | Zoning at Development Sit D-RS3 P-WL | e | | |
| frontag | ge in a straight line b | | ersection of side property | rivers, streams, or other wa lines and the normal high w | vater mark of | | ot. Measure water |
| part of | an approved subdiv | ision, provide both the s | ubdivision permit number | ects on your property previo and your lot number. This 8 by special excep | information is | | |
| Land Division History. Using your deed as a starting point, trace the ownership history and configuration changes of your property back 20 years from today. List any division of those lots from which your property originated (use an additional sheet of paper or page 3 of the application, if | | Grantor and grantee (example -Amy Adams to Rob Ro Arthur & Muriel | oberts | of sale or lease 1/12/97 1 1995/96 | Lot size 10 acres) 200+ 1,000 ft | | |
| neede | | | | Arthur & Muriel Goldstein to | | | |
| If your property is part of subdivision approved by the Commission, continue to Question 3. If your property is not part of an approved subdivision, please complete the Land Division History. (Check deed or contact the LUPC office that serves your area.) | | | Rochelle Schaevitz, Jane Buscemi & Warren Golds on 23 Dec 1995 & 21 Jan 1996 200+ 1,000 ft | | | | |
| 3. P | PROPOSED ACT | IVITY (chec | k all that apply) | | | | |
| | | | | abilization E: An application for a di | The second second | ck Relocation ay only be ma | de by a public entity |
| | If this application is for a Dock Reconstruction, Shoreline Stabilization, Rock Relocation and/o Water Intake Pipe or Dry Hydrant you must complete and attach the appropriate Activity Attachment form. Time extension of previously issued Expedited Shoreland Alteration permit (write permit number) | | | | -lydrant you must | | |
| | | | | | | | |
| Other amendment of previously issued Expedited Shoreland Alteration permit (write permit number) | | | | | | | |
| 5 | If this is a perm | it amendment or a time (| | issued Expedited Shoreland | | ermit, conta | nct tl |

RECEIVED APR 21 2015

| 4. | DEVELOPMENT IN FLOOD PRONE AREAS (Note to work in a FEMA zone, P-FP zone, or an area prone to flooding.) | e: There are questions in the | e Conditions of Approval activi | ty attachment relevan |
|--|--|--|---|--|
| | Is your proposed activity located within a mapped P-FP (Flood Prone | P-FP Subdistrict | | YES VINC |
| | Area Protection) Subdistrict, a mapped FEMA (Federal Emergency | FEMA Flood Zone | | YES INC |
| | Management Agency) flood zone, or an unmapped area prone to flooding? | Unmapped Area Prone to Flooding | | |
| 5. | APPLICANT SIGNATURE (REQUIRED) AND AGENT AL | | | |
| Age | ent Name | Daytime Phone | FAX or Email (if | applicable) |
| Mai | ling Address | Town | State | Zip Code |
| mis. and COI regulated indirection of the Alternation of the Alternati | ne best of my knowledge and belief, this application is complete and incising any of the required exhibits, this will result in delays in processing redepiction of what currently exists on, and what is proposed at, the proposed NDITIONS OF APPROVAL to any contractors working on my project. I ulations and with all conditions and limitations of any permits issued to revidual or business to act as my legal agent in all matters relating to this retify that the project will be completed in accordance with the CONDITION and any other applicable Commission requirements and laws. With will continue to apply unless specifically amended herein. I see check one of the boxes below: (see "Accessing the Project Site for I authorize staff of the Land Use Planning Commission to access the project to verify the application materials I have submitted, and for the purple and the terms and conditions of my permit. | my permit. The information perty. I certify that I will give understand that I am ultimate by the Commission. If the permit application. ONS OF APPROVAL, and the lifth is a permit amendment of the Evaluation and Inspection of the permit as necessary at a pose of inspecting for complete. | in this application is a true and a copy of this permit and the ately responsible for complying here is an Agent listed above, the attached Standard Conditiont, then all conditions in prior pation" on Page ii) ny reasonable hour for the purliance with statutory and regular | d adequate narrative associated with all applicable hereby authorize that one for Shoreland permits issued for this appose of evaluating the atory requirements, |
| All | project site for purposes of any necessary site evaluation and compliant appropriate persons listed on the deed, lease or sales contract mu | st sign below. | ul do 205 | |
| Sig | nature(s) | Date | 4/18/2015 | *************************************** |
| | | Date | | |
| > 1 > 1 > 1 > 1 | PORTANT This application, once signed by Commission staff and then returned to described it and have shown on the Site Plan. Your project must be done in compliance with all of the CONDITIONS Of Attachment. The Permit Certificate that will be included with the signed permit must be norder to comply with the Conditions of this LUPC Permit and be eligible work being done in a water of the United States under Federal Jurisdiction Form that will be attached to the second content of the States and the second content of the State | F APPROVAL, as you have be displayed at the construc- le for authorization under the on, LUPC permittees must | e described in this application attion site. The Corps of Engineers Maine Country to the Corps the U.S. A | and the Activity General Permit for Army Corps of |
| Bas cond affed Sec §68s to the Land | PC AUTHORIZATION (for office use) ed on the information you have submitted in the attached application are cludes that, if carried out in compliance with the CONDITIONS OF APP of the water quality classification of the affected waterbody and meets the tion 10.25,P of the Commission's Land Use Districts and Standards. Fig. 5-B(4) of the Commission's statutes. Any variation from the project as one LUPC staff review and approval prior to construction. Any variation of the Use Planning Commission law. In addition, any person aggrieved by the decision. | ROVAL and Standard Cond ne provisions of the Genera urther, the project you propo described in this application andertaken without approva | ditions (attached), the project yall Land Use Standards for Wetlese meets the Criteria for Approand the CONDITIONS OF AFI by Commission staff constitutely, within 30 days, request that | rou propose will not land Alterations, roval, 12 M.R.S.A. PROVAL is subject tes a violation of the Commission |
| | LÚPC Authorized Signature | | Effec | tive Date |

RECEIVED APR 2 1 2015

| Use this page to provide any explanations that will help describe your project. If you wrote "n/a" next to any of the questions or CONDITIONS OF APPROVAL in the Attachment or in the application form, if needed please explain why below, and include the number of the question or condition. | | | | | |
|--|--|--|--|--|--|
| | pushed off by ice, to reinstall and or repair sloped section | | | | |
| pushed off by ice, to add additional angling | on the side for ice protection. | | | | |
| pushed on by ice, to add additional angling | JOHN THE SIDE OF THE PROCESSION | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| 8 | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | SIGN GIRL AND AND AD ADMIN AND | | | | |

MAINE LAND USE PLANNING COMMISSION

APR 21 2015

Expedited Shoreland Alteration Application Supplemental Information and Notes For office use:



Activity Attachment: Dock Reconstruction

Questions and Conditions of Approval

This Attachment must accompany the Expedited Shoreland Alteration Permit Application, and is for reconstruction of:

- A legally existing private residential or public <u>permanent</u> dock; or
- A legally existing private residential or public temporary dock on a waterbody where there is a FEMA or P-FP zone
 NOTE: Temporary docks where there is not a FEMA or P-FP zone present do not require a LUPC permit.
- Where the area affected below the normal high water mark would be less than 500 square feet in size;
- The dock is located on an inland water;
- The dock was in usable condition within the two years prior to submittal of the application; and
- The reconstructed dock will be the same size and type, and in the same location as the existing dock, except where relocated to meet the
 property line setback.

This Activity Attachment cannot be used for reconstruction of docks on coastal waters or for commercial facilities.

This Activity Attachment is <u>only</u> for dock reconstruction where the affected waterbody is bordered by the following zones (*Note: The zone your project is located in is listed in Question 2 of the application form.*)

- P-GP and P-GP2, including where there is an overlapping FEMA or P-FP zone, or a P-AR zone
- P-SL2 associated with a pond smaller than 10 acres, including where there is an overlapping FEMA or P-FP zone, or a P-AR zone
- P-SL1 and P-SL2 associated with a stream or river (but <u>not</u> where there is a FEMA or P-FP zone)
- P-AL zone
- All development zones (except D-PD and D-MT)

| | Projects on waterbodies abutting zones not listed here may be allowed using the standard application form. Consult with your regional representative to determine if your project is an allowed use. | | | | | | | |
|----|--|--|---|--|--------------|--|--|--|
| A. | A. PROJECT TYPE (check one) | | | | | | | |
| | V | Private residential permanent dock | ☐ Public permanent dock | | | | | |
| | | Private residential or public temporary dock where there is a FEMA | or P-FP zone | | | | | |
| В. | LO | CATION (check one) | | | | | | |
| | V/L | ake or pond 10 acres or larger | ☐ Pond smaller than 10 acres (Pond size in acres | r than 10 acres (Pond size in acres, if known) | | | | |
| | □F | River or stream bordered by a P-SL1 zone (major flowing water) | ☐ Stream bordered by a P-SL2 zone (minor flowing | ng water) | | | | |
| C. | PR | OJECT DETAILS NOTE: Answering YE | S to a question indicates that the statement is con | rect about you | ur projec | | | |
| | 1. | The total area in square feet of lake, pond, river or stream below to dock reconstruction will be less than 500 square feet | | YES | □N | | | |
| | | If YES, provide the size of the area within the waterbody to be imp | acted: | 200 | sq. ft. | | | |
| | 2. | The reconstructed dock will be in the same location as the existing meet the property boundary line setback to the greatest extent pos | | YES | □NO | | | |
| | 3. | Has the dock being reconstructed been in place and usable within | the last two years? | YES | \square NO | | | |
| | | If you answored NO to any one of Questions 1, 2 or 3 | in Section C then the expedited permit form c | annot ha usa | ha | | | |

STOP HERE.

Contact the LUPC office that serves your area to obtain the standard application form or further assistance.

If you answered YES to all three questions, please continue to Question 4.

Expedited Shoreland Alteration Permit Application: Permanent Dock Reconstruction Activity Attachment page 1

LUPC - RANGELEY

| | 1 | 1 | 1.1 | | | | | |
|--|--|---|--|--|--|--|--|--|
| | Normal Maintenance and Repair: "Unless otherwise provided, work necessary to maintain an improvement, structure, or docking structure in its original or previously improved state or condition, as long as there is no expansion of a non-conforming structure and less than 50 percent of a structure is replaced. This includes general upkeep, such as painting, fixing portions of the structure that are in disrepair, or the replacement of sill logs, roofing materials, siding, or windows. In-kind and in-place replacement of decking or exterior stairs is considered to be normal maintenance and repair. | | | | | | | |
| | Normal maintenance and repair shall not include reconstruction, or change in design, change in structure, change in use, or change in size or capacity. Activities involving a permanent docking structure constitute normal maintenance and repath than 50% of those portions of the permanent docking structure that are above the level of the water during normal high wor repaired." (emphasis added) | ir only wher | ı less | | | | | |
| | A permit is required for a dock reconstruction located on a waterbody with a FEMA or P-FP zone if the cost of the re \$1,000 or more, even if less than 50% of the portion of the dock that is above water is being replaced. | econstruction | n is | | | | | |
| | If there is no FEMA or P-FP zone present, and your dock reconstruction meets the definition of "normal maintenance and repair" for docking structures, then no permit is required. | | | | | | | |
| | Check with the LUPC office that serves your area to determine if a permit is required for your activity. | | | | | | | |
| СО | ONDITIONS OF APPROVAL FOR DOCK RECONSTRUCTION | | | | | | | |
| you any car | law, any proposed development must meet certain conditions of approval. Please read each of the following statements car ur project will be done as described in each statement. You must complete all questions, including those marked as "[P-FP]" y of the following statements indicates that your project will not comply with that CONDITION OF APPROVAL, and to the used for your project. However, projects not qualifying for the expedited permit may still be allowed using a standard. | . Checking his expedit ard permit. | g 'NO' to ted form If a | | | | | |
| you any car stat pur | ur project will be done as described in each statement. You must complete all questions, including those marked as "[P-FP]" by of the following statements indicates that your project will not comply with that CONDITION OF APPROVAL, and to the statement does not apply to your project. However, projects not qualifying for the expedited permit may still be allowed using a standard tement does not apply to your project, check 'N/A' and if needed, explain why on page 3 of the application form, which is propose. **COJECT DESCRIPTION AND CONSTRUCTION MATERIALS** The reconstructed dock will be the same type and the same size as, or smaller than, the existing dock. Reconstructed private residential docks must be no wider than 8 feet and no longer than 50 feet. Reconstructed public docks must be | . Checking his expedit ard permit. | g 'NO' t ed forn If a is | | | | | |
| you any car stat pur | ur project will be done as described in each statement. You must complete all questions, including those marked as "[P-FP]" by of the following statements indicates that your project will not comply with that CONDITION OF APPROVAL, and to the used for your project. However, projects not qualifying for the expedited permit may still be allowed using a standard tement does not apply to your project, check 'N/A' and if needed, explain why on page 3 of the application form, which is propose. **COJECT DESCRIPTION AND CONSTRUCTION MATERIALS** The reconstructed dock will be the same type and the same size as, or smaller than, the existing dock. Reconstructed | . Checking his expedit ard permit. ovided for the | y 'NO' t red forn If a iis | | | | | |
| you any car stat pur | ur project will be done as described in each statement. You must complete all questions, including those marked as "[P-FP]" y of the following statements indicates that your project will not comply with that CONDITION OF APPROVAL, and to the statement does not apply to your project. However, projects not qualifying for the expedited permit may still be allowed using a standard tement does not apply to your project, check 'N/A' and if needed, explain why on page 3 of the application form, which is propose. **COJECT DESCRIPTION AND CONSTRUCTION MATERIALS** The reconstructed dock will be the same type and the same size as, or smaller than, the existing dock. Reconstructed private residential docks must be no wider than 8 feet and no longer than 50 feet. Reconstructed public docks must be less than 10 feet wide and less than 50 feet long | . Checking his expedit ard permit. ovided for the | y 'NO' ted forn | | | | | |
| you any car stat pur PR 1. | ur project will be done as described in each statement. You must complete all questions, including those marked as "[P-FP]" by of the following statements indicates that your project will not comply with that CONDITION OF APPROVAL, and to the statement does not apply to your project. However, projects not qualifying for the expedited permit may still be allowed using a standard tement does not apply to your project, check 'N/A' and if needed, explain why on page 3 of the application form, which is propose. **COJECT DESCRIPTION AND CONSTRUCTION MATERIALS** The reconstructed dock will be the same type and the same size as, or smaller than, the existing dock. Reconstructed private residential docks must be no wider than 8 feet and no longer than 50 feet. Reconstructed public docks must be less than 10 feet wide and less than 50 feet long | YES | y 'NO' to ted form If a list is Indian India | | | | | |
| you any car stat purp PR 1. | ur project will be done as described in each statement. You must complete all questions, including those marked as "[P-FP]" yof the following statements indicates that your project will not comply with that CONDITION OF APPROVAL, and to the used for your project. However, projects not qualifying for the expedited permit may still be allowed using a standart tement does not apply to your project, check 'N/A' and if needed, explain why on page 3 of the application form, which is protected. **COJECT DESCRIPTION AND CONSTRUCTION MATERIALS** The reconstructed dock will be the same type and the same size as, or smaller than, the existing dock. Reconstructed private residential docks must be no wider than 8 feet and no longer than 50 feet. Reconstructed public docks must be less than 10 feet wide and less than 50 feet long. If you plan to replace an existing dock on posts with a rock-filled crib dock, it is considered to be an expansion, not a this form cannot be used for your project. The reconstructed dock will not include other structures, such as sheds, floatplane hangers, boathouses, electric wiring, or fuel storage tanks attached to the dock. [P-FP] The reconstructed dock will be adequately anchored to prevent flotation (floating docks excluded), collapse or | YES | y 'NO' to ted form If a lis | | | | | |
| you any car stat purp PR 1. | ur project will be done as described in each statement. You must complete all questions, including those marked as "[P-FP]" y of the following statements indicates that your project will not comply with that CONDITION OF APPROVAL, and to tement does not apply to your project. However, projects not qualifying for the expedited permit may still be allowed using a standatement does not apply to your project, check 'N/A' and if needed, explain why on page 3 of the application form, which is propose. **OJECT DESCRIPTION AND CONSTRUCTION MATERIALS** The reconstructed dock will be the same type and the same size as, or smaller than, the existing dock. Reconstructed private residential docks must be no wider than 8 feet and no longer than 50 feet. Reconstructed public docks must be less than 10 feet wide and less than 50 feet long. **If you plan to replace an existing dock on posts with a rock-filled crib dock, it is considered to be an expansion, not a this form cannot be used for your project. The reconstructed dock will not include other structures, such as sheds, floatplane hangers, boathouses, electric wiring, or fuel storage tanks attached to the dock. [P-FP] The reconstructed dock will be adequately anchored to prevent flotation (floating docks excluded), collapse or lateral movement resulting from hydrodynamic and hydrostatic loads, including the effects of buoyancy. [P-FP] The construction practices and methods used will minimize the potential for flood damage, and the materials used will be resistant to flood damage. Only untreated wood or pressure-treated wood or other material approved by the U.S. Environmental Protection Agency for inland waters will be used to reconstruct the dock. CCA pressure-treated wood will only be used if it is dried on land in such a manner as to expose all surfaces to the air for at least 21 days. PCP pressure-treated wood or wood treated with creosote will not be used. | VESVESVESVES | y 'NO' to ded form If a lis | | | | | |
| you any car stat purp PR 1. | ur project will be done as described in each statement. You must complete all questions, including those marked as "[P-FP]" yof the following statements indicates that your project will not comply with that CONDITION OF APPROVAL, and to the used for your project. However, projects not qualifying for the expedited permit may still be allowed using a standatement does not apply to your project, check 'N/A' and if needed, explain why on page 3 of the application form, which is propose. **COJECT DESCRIPTION AND CONSTRUCTION MATERIALS** The reconstructed dock will be the same type and the same size as, or smaller than, the existing dock. Reconstructed private residential docks must be no wider than 8 feet and no longer than 50 feet. Reconstructed public docks must be less than 10 feet wide and less than 50 feet long. *** If you plan to replace an existing dock on posts with a rock-filled crib dock, it is considered to be an expansion, not a this form cannot be used for your project. The reconstructed dock will not include other structures, such as sheds, floatplane hangers, boathouses, electric wiring, or fuel storage tanks attached to the dock. [P-FP] The reconstructed dock will be adequately anchored to prevent flotation (floating docks excluded), collapse or lateral movement resulting from hydrodynamic and hydrostatic loads, including the effects of buoyancy. [P-FP] The construction practices and methods used will minimize the potential for flood damage, and the materials used will be resistant to flood damage. Only untreated wood or pressure-treated wood or other material approved by the U.S. Environmental Protection Agency for inland waters will be used to reconstruct the dock. CCA pressure-treated wood will only be used if it is dried on land in such a manner as to expose all surfaces to the air for at least 21 days. PCP pressure-treated wood or wood treated with creosote will not be used. All metal used below the normal high water mark will be rust-proof. | VESVESVESVESVES | y 'NO' to the deformance of th | | | | | |
| you any car stat purp 1. | ur project will be done as described in each statement. You must complete all questions, including those marked as "[P-FP]" yof the following statements indicates that your project will not comply with that CONDITION OF APPROVAL, and to the used for your project. However, projects not qualifying for the expedited permit may still be allowed using a standitement does not apply to your project, check 'N/A' and if needed, explain why on page 3 of the application form, which is propose. **COJECT DESCRIPTION AND CONSTRUCTION MATERIALS** The reconstructed dock will be the same type and the same size as, or smaller than, the existing dock. Reconstructed private residential docks must be no wider than 8 feet and no longer than 50 feet. Reconstructed public docks must be less than 10 feet wide and less than 50 feet long. *** If you plan to replace an existing dock on posts with a rock-filled crib dock, it is considered to be an expansion, not a this form cannot be used for your project. The reconstructed dock will not include other structures, such as sheds, floatplane hangers, boathouses, electric wiring, or fuel storage tanks attached to the dock. [P-FP] The reconstructed dock will be adequately anchored to prevent flotation (floating docks excluded), collapse or lateral movement resulting from hydrodynamic and hydrostatic loads, including the effects of buoyancy. [P-FP] The construction practices and methods used will minimize the potential for flood damage, and the materials used will be resistant to flood damage. Only untreated wood or pressure-treated wood or other material approved by the U.S. Environmental Protection Agency for inland waters will be used to reconstruct the dock. CCA pressure-treated wood will only be used if it is dried on land in such a manner as to expose all surfaces to the air for at least 21 days. PCP pressure-treated wood or wood treated with creosote will not be used. All metal used below the normal high water mark will be rust-proof. | VESVESVESVESVES | g 'NO' t ted form If a is | | | | | |
| you any car stat purp PR 1. 2. 3. 4. 5. | ur project will be done as described in each statement. You must complete all questions, including those marked as "[P-FP]" yof the following statements indicates that your project will not comply with that CONDITION OF APPROVAL, and to the used for your project. However, projects not qualifying for the expedited permit may still be allowed using a standatement does not apply to your project, check 'N/A' and if needed, explain why on page 3 of the application form, which is propose. **COJECT DESCRIPTION AND CONSTRUCTION MATERIALS** The reconstructed dock will be the same type and the same size as, or smaller than, the existing dock. Reconstructed private residential docks must be no wider than 8 feet and no longer than 50 feet. Reconstructed public docks must be less than 10 feet wide and less than 50 feet long. *** If you plan to replace an existing dock on posts with a rock-filled crib dock, it is considered to be an expansion, not a this form cannot be used for your project. The reconstructed dock will not include other structures, such as sheds, floatplane hangers, boathouses, electric wiring, or fuel storage tanks attached to the dock. [P-FP] The reconstructed dock will be adequately anchored to prevent flotation (floating docks excluded), collapse or lateral movement resulting from hydrodynamic and hydrostatic loads, including the effects of buoyancy. [P-FP] The construction practices and methods used will minimize the potential for flood damage, and the materials used will be resistant to flood damage. Only untreated wood or pressure-treated wood or other material approved by the U.S. Environmental Protection Agency for inland waters will be used to reconstruct the dock. CCA pressure-treated wood will only be used if it is dried on land in such a manner as to expose all surfaces to the air for at least 21 days. PCP pressure-treated wood or wood treated with creosote will not be used. All metal used below the normal high water mark will be rust-proof. | VESVESVESVESVES | g'NO' ted for If a is tion, ar | | | | | |

APR 2 1 2015

LUPC - RANGELEY


| 9. | For projects on flowed lakes only: Heavy machinery will be driven below the normal high water mark only where necessary, when the work area is above the level of the water, and only on rocky or gravelly substrate. Mats or platforms will be used as needed to protect the shoreline and lake bottom from damage | YES | □NO |
|-----|--|------|--------------|
| | The dock reconstruction will not require alteration of any other area of wetland [(P-WL) Wetland Protection Subdistrict] other than the waterbody that the activity is located on. | YES | □NO |
| 11. | The dock reconstruction will not require construction of an access road | YES | |
| 12. | All construction debris and residual materials will be removed from the waterbody and disposed of according to the Maine Solid Waste Disposal Rules. | YES | □NO |
| PRC | DJECT LOCATION AND TIMING | | |
| 13. | The dock reconstruction will occur during a period of low water conditions, and for flowed lakes when the lake bottom is exposed. | YES | □NO |
| 14. | For projects on streams or rivers: The dock reconstruction will occur between July 15th and October 1st | □YES | \square NO |
| | For projects on streams or rivers: The dock reconstruction will not interfere with natural flow, will not create an impoundment, and will not block fish passage. | □YES | □NO |
| 16. | [P-FP] The reconstructed dock will not interfere with navigation or recreation. | YES | \square NO |
| 17. | The dock reconstruction will not occur when the soil above the normal high water mark is frozen or saturated | YES | |
| | The dock being reconstructed in not located within 250 feet of mapped Endangered, Threatened, and Special Concern species habitat as designated by the Maine Department of Inland Fisheries and Wildlife. For further information, contact your LUPC regional representative; or MDIFW, 284 State Street, Augusta, ME 04333; (207) 287-8000. | YES | □NO |
| | L AND VEGETATION DISTURBANCE; AND EROSION / SEDIMENTATION CONTROL | | |
| | The dock reconstruction will not require more than incidental grading, filling or clearing of vegetation within 100 feet of the normal high water mark. The project will meet the LUPC's standards for Vegetation Clearing (10.27, B) and for Filling and Grading (10.27, F). See , Rules and Regulations, Chapter 10 | VES | □NO |
| 20. | Prior to construction, measures to control erosion and sedimentation, such as staked hay bales or silt fencing, will be placed between any area above the normal high water mark that will be disturbed and the waterbody to prevent sediment from entering the waterbody. Silt fencing will be removed within 30 days of completing the project, if soil stabilization is complete. | YES | □NO |
| 21. | If work will be conducted in the water, prior to construction sedimentation control measures such as a floating silt boom will be installed around the work area below the normal high water mark to contain and isolate turbidity. The silt boom will be removed upon completion of construction. | YES | □NO |
| 22. | All areas of disturbed mineral soils above the normal high water mark will be stabilized with hay or bark mulch and replanted within one week of inactivity or completion of the project in accordance with the Commission's Guidelines for Vegetative Stabilization. See , Rules and Regulations, Chapter 10, Appendix B. | VYES | □NO |
| | 1 la la a 1 a 1 a 1 a 1 a 1 a 1 a 1 a 1 | | |

RECEIVED


APR 2 1 2015

LUPC - RANGELEY

10-22-97 04:22PM FROM ARTHUR D GOLDSTEIN







EXHIBITA

Major Connector

INDEPENDENT APPRAISAL SERVICES, INC.

File No GC SIN AREA LOCATION MAP Arthur & Muriel Goldstein APR 1 4 2015 LUPC - RANGELEY onbaker Mag 14 00 Wed Dec 11 14:28 1996 Scale 1:31,250 (at center) 2000 Feet 1000 Meters Toothaker Island Secondary SR, Road, Hwy Namp